

## CLAIMS

What is claimed is:

- 2-4/2011
1. A method of machine learning comprising:  
setting up a system for learning;  
presenting queries to non-expert netizens over a network, the netizens  
participating in the training process;  
continually updating the system and refining the queries based on responses to  
the queries provided by the netizens.
  2. The method of claim 1, wherein the system has certain goals including  
accumulating data.
  3. The method of claim 2, wherein at least one goal comprises a goal selected  
from among the following: handwriting recognition, voice recognition, building a  
database of queries to recognize an object, building a database of common sense.
  4. The method of claim 1, further comprising providing access to a domain  
expert to resolve conflicts between the responses of netizens, if a conflict arises.
  5. The method of claim 1, wherein the queries are multiple choice queries.
  6. The method of claim 2, wherein the goals of the system evolve as the  
system is updated.

1 7. The method of claim 6, wherein the goals comprise a plurality of  
2 intermediate goals, that change in response to the responses while approaching a final  
3 goal.

1 8. The method of claim 7, wherein one of the plurality of intermediate goals  
2 is to recognize a certain letter of the alphabet in handwriting.

1 9. The method of claim 7, wherein one of the plurality of intermediate goals  
2 is to recognize a sound corresponding to a certain set of letters, in context.

1 10. The method of claim 1, wherein setting up the system comprises:  
2 implementing a plurality of rules for presenting questions;  
3 implementing an architecture for interacting with the netizens to enable netizens  
4 e to access the system; and  
5 generating a database for storing the responses.

1 11. The method of claim 10, further comprising:  
2 evaluating a reliability rating for each of the netizens; and  
3 weighting the response of each of the netizens according to the reliability rating.

1 12. A system coupled to a network to present queries to and receive  
2 responses from a plurality of netizens over the network, the system comprising:  
3 a user interface to present the queries and receiving the responses;  
4 a data aggregation logic to organize the responses;

5 a query formulation logic to formulate a next query based on the plurality of  
6 responses to the last query.

1 13. The system of claim 12, further comprising:  
2 reliability evaluation logic to weight each response according to a reliability of  
3 the netizen providing the response.

1 14. The system of claim 12, further comprising:  
2 conflict resolution logic to resolve conflicts between responses provided by the  
3 netizens using domain experts.

1 15. A method of data aggregation over a network comprising:  
2 presenting a question to a plurality of participants over a network;  
3 receiving responses to the question;  
4 analyzing the plurality of responses to the question from the plurality of  
5 participants; and  
6 formulating a next question based on the plurality of responses; and  
7 presenting the next question to the plurality of participants.

1 16. A method of interacting with a user comprising:  
2 presenting a query to the user over a network;  
3 receiving a response to the query from the user, the response transmitted to a  
4 learning system;

5 informing the user of a result generated based on the response to the query, such  
6 that the user is rewarded by being informed of the content and state of data being  
7 gathered based on the response.

1 17. A machine readable medium having stored thereon data representing  
2 sequences of instructions, which when executed by a computer system, cause said  
3 computer system to perform the steps of:

- 4 setting up a system for learning;
- 5 presenting queries to non-expert netizens over a network, the netizens
- 6 participating in the training process;
- 7 continually updating the system and refining the queries based on responses to
- 8 the queries provided by the netizens.

1 18. The machine readable medium of claim 17, wherein the system includes a  
2 plurality of goals, and one of the goals is to accumulate data.

1 19. A computer data signal embodied in a carrier wave comprising:  
2 a user interaction code segment to present queries to and receive responses from  
3 netizens; and  
4 a response evaluation code segment to evaluate the responses; and  
5 a training code segment to update the system and refine the queries based on the  
6 responses to the queries provided by the netizens.

1 20. A system for training comprising:

2 a means for presenting queries to non-expert netizens over a network, the  
3 netizens participating in the training process;

4 a means for continually updating the system and refining the queries based on  
5 responses to the queries provided by the netizens.

1 21. The system for training of claim 20, further comprising:

2 a means for storing the responses of the netizens; and

3 a means for weighting the responses of each netizens based on a reliability of the  
4 netizen.

1 22. The system for training of claim 20, further comprising:

2 a means for rewarding the netizens for participation in training the system.

004451.P0118